

TWIN Honeycomb Openview MANUAL FITTING GUIDE



SKYLIGHTBLINDS
DIRECT™

How to Fit Your TWIN Honeycomb Openview Manual Roof Lantern Blind

Assemble The Blind :

As Per This Video 🖱️ **click link or scan OR code**




Preparation First:

Each honeycomb blind frame comes with handy pre-drilled screw holes, so no extra faffing needed! The holes are down the side channels so you only need to side fix through the side channels (not through the head or foot of the blind)

Assemble and test your blind on the floor first before installing (tweaking is easier at ground level).

Blinds over 2.9m long have a join down the side channels



1. Positioning Your Blind

Mark with a pencil inside the recess where you want it to sit (this should be the place where you measured).

We recommend placing it around 200mm below the glazing for a clean, balanced look – but feel free to tweak this to suit your space.

2. Mark Your Drill Points

While holding the blind steady in place, use a pencil to mark through the pre-drilled holes on the frame. These marks will show you exactly where to drill.

3. Drill Your Holes

Take the blind down again and drill into the spots you've marked. Then, insert rawl plugs to make sure the screws grip securely.

4. Fix the Blind in Place

Lift the blind back up, line it up with your drilled holes, and screw it in securely.




Tensioning the Twin Honeycomb Skylight Manual Blind

You need to tension the twin honeycomb manual skylight blind or this will happen



-Untighten the screws that are side fixing the blind into the walls -Pack out the space between the rails and the walls (pushing the side rails inwards)

Increase or release the tension on each side of the blind :
As Per This Video 👉 click link or scan QR code



5. Final Finishing Touches

To complete the look, caulk neatly around the edges of the frame. This gives a clean, sealed finish and helps block out any unwanted light.



If your recess is very out of square and is gappy round the edges even after caulking we have found this to be a very good trim which is available online from B&Q [B&Q Flexible Trim](#)

White UPVC Plastic Flexible Angle Trim 25mm x 25mm x 5 Metre Length

